


PRODUCT CATALOGUE



www.aryanoverseas.com



**AO-801
OIL CAN WESCO TYPE - STEEL PUMP**

- A-with Flexible Spout
- B-with Fixed Spout

Capacity		Qty/Ctn. Pcs.
Pint	CC	
1/4	125	100
1/2	250	100
3/4	375	100
1	500	100
1 1/2	750	60
2	1000	60



**AO-807
GREASE GUN WITH 5/8 PISTON**

Capacity		Qty/Ctn. Pcs.
OZ	Gms.	
15	420	12



**AO-802
OIL CAN WESCO TYPE - BRASS PUMP**

- A-with Flexible Spout
- B-with Fixed Spout

Capacity		Qty/Ctn. Pcs.
Pint	CC	
1/4	125	100
1/2	250	100
3/4	375	100
1	500	100
1 1/2	750	60
2	1000	60



**AO-808
GREASE GUN - PUSH TYPE**

- Complete with Male or Female Connector

Capacity		Qty/Ctn. Pcs.
OZ	Gms.	
4	112	80
8	225	60



**AO-803
OIL CAN - PISTOL TYPE WITH BASE**

- A-with Flexible Spout
- B-with Fixed Spout

Capacity		Qty/Ctn. Pcs.
Pint	CC	
4 OZ	125	100
6 OZ	180	100



**AO-809
CAULKING GUN**

Size		Qty/Ctn. Pcs.
Inch	mm.	
9	225	30
10	250	30



**AO-804
OIL CAN - PISTOL TYPE**

- A-with Flexible Spout
- B-with Fixed Spout

Capacity		Qty/Ctn. Pcs.
Pint	CC	
4 OZ	125	100
6 OZ	180	100



**AO-810
HAND OPERATED ROTARY PUMP**

- Head or Barrel Pump is made from Cast Iron
- Available with Rigid Pipe or Telescopic Pipe
- Pump is fitted with Non Return Valve

Size		Qty/Ctn. Pcs.
Inch	mm.	
3/4	20	4
1	25	4



**AO-811
BEARING PULLER TWO JAWS**

- Drop Forged Legs and Beam from Carbon Steel, Chrome Plated

Size		Qty/Ctn. Pcs.
Inch	mm	
3	75	40
4	100	40
6	150	24
8	200	16
10	250	12
12	300	8



**AO-805
GREASE GUN LEVER
TYPE WITH SAND CASTING HEAD**

- A-Pulling Rod : V-Type
- B-Pulling Rod : T-Type

Capacity		Qty/Ctn. Pcs.
OZ	Gms.	
4	112	24
8	230	36
10	300	15
15	420	12



**AO-812
BEARING PULLER THREE JAWS**

- Drop Forged Legs and Beam from Carbon Steel, Chrome Plated

Size		Qty/Ctn. Pcs.
Inch	mm	
3	75	40
4	100	32
6	150	16
8	200	12
10	250	8
12	300	8



**AO-806
GREASE GUN LEVER
TYPE - STEEL HEAD**


- Pulling Rod, V-Type

Capacity		Qty/Ctn. Pcs.
OZ	Gms.	
15	420	20
20	500	20


AO-813

ANGULAR WHEEL SPANNERS

- A- With Screw, B- Without Screw
- Made from Carbon Steel, Polished, Chrome Plated



Size mm	Inch	Length mm	Qty/Ctn. Pcs.
17	11/16	325	40
19	3/4	325	40
21	13/16	325	40
23	7/8	325	40
24	15/16	350	30
27	1.1/16	350	30



AO-817

FILTER WRENCH - LIGHT DUTY/HEAVY DUTY

Size	Qty/Ctn. Pcs.
Std.	60

AO-814

L-TYPE SPANNER

- Made from Carbon Steel, Polished, Chrome Plated



Size mm	Qty/Ctn. Pcs.
8	400
10	200
11	150
12	150
13	120
14	120
15	100
16	80
17	60
18	60
19	60



AO-818

FILTER WRENCH WITH STRAP

Size	Qty/Ctn. Pcs.
Std.	60

AO-815

TUBULAR BOX SPANNER WITH & WITHOUT TOMY BAR



Size mm	Inch	Length mm	Qty/Ctn. Pcs.
6x7	1/4x5/16	110	600
8x9	5x16x11/32	110	500
10x11	3/8x7/16	125	400
12x13	7/16x1/2	135	300
14x15	1/2x9/16	145	300
16x17	19/32x11/16	150	200
18x19	5/8x3/8	165	100
20x22	13/16x7/8	170	100
21x23		170	80
24x26	15/16x1	190	60
25x28	1x1.1/8	200	40
27x30		215	40
30x32	1.1/16x1.1/4	215	40



AO-819

PLUG SPANNER - SWIVEL HEAD

- Chrome Plated with Dip Insulation for Soft Gripping

Size mm	Qty/Ctn. Pcs.
16	80
21	80

AO-820

TYRE LEVER FLAT CHROME PLATED

- Chrome Vanadium Steel
- Carbon Steel



Inch	Size mm	Qty/Ctn. Pcs.
12	300	50
16	400	40
18	450	30
20	500	30
24	600	24
30	750	20


AO-816

TWO WAY WHEEL SPANNERS

- A- With Tomy Bar B, Without Tomy Bar
- Made from Carbon Steel, Polished & Chrome Plated



Size mm	Length mm	Qty/Ctn. Pcs.
24x27	400	8
27x32	400	8
27x33	400	8
30x27	400	8
30x32	400	8
32x33	400	8
33x33	400	8
35x17	400	8
36x32	400	8
36x33	400	8
38x21	400	8
41x21	400	8
41x19	400	8



AO-821

FOUR WAY WHEEL SPANNERS

- Drop Forged from Carbon Steel
- Socket Size Available in : 17x19x21x23 17x19x21x22

Inch	Size mm	Qty/Ctn. Pcs.
14	350	20
15	375	20
16	400	10
18	450	10

AO-822

FOUR WAY WHEEL SPANNERS

- Drop Forged from Carbon Steel
- Size : 17x19x21x1/2 Square Size

Inch	Size mm	Qty/Ctn. Pcs.
14	350	20
15	375	20
16	400	10
18	450	10





Wariana Complex Sangal sohal Jalandhar - 144002 - Punjab, India

Mobile: / WhatsApp : +91-9417410074 / 7973046757

Email: info@aryanoverseas.com infoaryanoverseas@gmail.com

www.aryanoverseas.com