

# PRODUCT CATALOGUE




[www.aryanoverseas.com](http://www.aryanoverseas.com)



**AO-101**  
**SPECIAL HEAVY DUTY BENCH VICE FIXED**  
**BASE CAST IRON (RECORD TYPE)**

- Graded Casting
- Hardened and tempered jaws Alloy Steel


| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 100     | 14.000      | 100            | 1               |
| 125     | 23.000      | 125            | 1               |
| 150     | 33.000      | 150            | 1               |
| 200     | 40.000      | 200            | 1               |



**AO-102**  
**SPECIAL HEAVY DUTY BENCH VICE SWIVEL**  
**BASE CAST IRON (RECORD TYPE)**

- Graded Casting
- Hardened and tempered jaws Alloy Steel


| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 100     | 17.000      | 100            | 1               |
| 125     | 28.000      | 125            | 1               |
| 150     | 40.000      | 150            | 1               |
| 200     | 48.000      | 200            | 1               |



**AO-103**  
**SPECIAL HEAVY DUTY BENCH VICE FIXED**  
**BASE S.G. IRON (RECORD TYPE)**

- Graded Casting
- Hardened and tempered jaws Alloy Steel


| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 100     | 14.000      | 100            | 1               |
| 125     | 23.000      | 125            | 1               |
| 150     | 33.000      | 150            | 1               |
| 200     | 40.000      | 200            | 1               |



**AO-104**  
**SPECIAL HEAVY DUTY BENCH VICE SWIVEL**  
**BASE S.G. IRON (RECORD TYPE)**

- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 100     | 17.000      | 100            | 1               |
| 125     | 28.000      | 125            | 1               |
| 150     | 40.000      | 150            | 1               |
| 200     | 48.000      | 200            | 1               |




## AO-105

### CAST IRON BENCH VICE FIXED BASE WITH ANVIL (INDUSTRIAL VICE - RECORD TYPE)

- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 100     | 11.000      | 100            | 1               |
| 125     | 18.000      | 125            | 1               |
| 150     | 24.000      | 150            | 1               |
| 200     | 30.000      | 200            | 1               |




## AO-106

### CAST IRON BENCH VICE SWIVEL BASE WITH ANVIL (INDUSTRIAL VICE - RECORD TYPE)

- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 100     | 14.000      | 100            | 1               |
| 125     | 22.000      | 125            | 1               |
| 150     | 28.000      | 150            | 1               |
| 200     | 37.000      | 200            | 1               |




## AO-107

### S.G. IRON BENCH VICE FIXED BASE WITH ANVIL (INDUSTRIAL VICE - RECORD TYPE)

- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 100     | 11.000      | 100            | 1               |
| 125     | 18.000      | 125            | 1               |
| 150     | 24.000      | 150            | 1               |
| 200     | 30.000      | 200            | 1               |




## AO-108

### S.G. IRON BENCH VICE SWIVEL BASE WITH ANVIL (INDUSTRIAL VICE - RECORD TYPE)

- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 100     | 14.000      | 100            | 1               |
| 125     | 22.000      | 125            | 1               |
| 150     | 28.000      | 150            | 1               |
| 200     | 37.000      | 200            | 1               |




## AO-109

### CAST IRON BENCH VICE FIXED BASE (DIY - RECORD TYPE)

- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 100     | 8.500       | 100            | 1               |
| 125     | 12.000      | 125            | 1               |
| 150     | 15.000      | 150            | 1               |
| 200     | 19.000      | 200            | 1               |




## AO-110

### CAST IRON BENCH VICE SWIVEL BASE (DIY - RECORD TYPE)

- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 100     | 9.500       | 100            | 1               |
| 125     | 13.500      | 125            | 1               |
| 150     | 17.000      | 150            | 1               |
| 200     | 22.000      | 200            | 1               |




## AO-111

### CAST IRON/S.G.IRON BENCH VICE FIXED BASE CROSS RIB HEAVY DUTY

- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 80      | 5.500       | 80             | 4               |
| 100     | 9.500       | 100            | 2               |
| 125     | 16.000      | 125            | 1               |
| 150     | 20.000      | 150            | 1               |
| 200     | 28.000      | 200            | 1               |
| 250     | 46.000      | 250            | 1               |
| 300     | 55.000      | 300            | 1               |




## AO-112

### CAST IRON/S.G.IRON BENCH VICE SWIVEL BASE CROSS RIB HEAVY DUTY

- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 80      | 7.000       | 80             | 2               |
| 100     | 11.500      | 100            | 1               |
| 125     | 20.000      | 125            | 1               |
| 150     | 24.000      | 150            | 1               |
| 200     | 33.500      | 200            | 1               |
| 250     | 58.000      | 250            | 1               |
| 300     | 69.000      | 300            | 1               |






## AO-113

### S.G. IRON BENCH VICE FIXED BASE CROSS CUT- HEAVY DUTY

- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 100     | 10.000      | 100            | 1               |
| 125     | 14.000      | 125            | 1               |
| 150     | 16.000      | 150            | 1               |



## AO-114

### S.G. IRON BENCH VICE SWIVEL BASE CROSS RIB - HEAVY DUTY

- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 100     | 11.000      | 100            | 1               |
| 125     | 16.000      | 125            | 1               |
| 150     | 18.000      | 150            | 1               |



## AO-115

### S.G. IRON BENCH VICE FIXED BASE (SHOP VICE) WITH FIXED PIPE JAWS

- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 100     | 9.000       | 100            | 2               |
| 125     | 13.500      | 125            | 1               |
| 150     | 15.500      | 150            | 1               |
| 200     | 24.000      | 200            | 1               |



## AO-116

### S.G. IRON BENCH VICE SWIVEL BASE (SHOP VICE) WITH FIXED PIPE JAWS

- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 100     | 9.500       | 100            | 2               |
| 125     | 14.000      | 125            | 1               |
| 150     | 16.500      | 150            | 1               |
| 200     | 25.500      | 200            | 1               |



## AO-117

### S.G. IRON BENCH VICE FIXED BASE WITH TALE TYPE ANVIL WITH FIXED PIPE JAWS

- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 100     | 9.000       | 100            | 2               |
| 125     | 11.000      | 125            | 2               |
| 150     | 14.000      | 150            | 1               |
| 200     | 19.500      | 200            | 1               |




## AO-118

### S.G. IRON BENCH VICE SWIVEL BASE WITH TALE TYPE ANVIL WITH FIXED PIPE JAWS

- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 100     | 9.500       | 100            | 2               |
| 125     | 11.500      | 125            | 2               |
| 150     | 15.000      | 150            | 1               |
| 200     | 21.000      | 200            | 1               |




## AO-119

### S.G. IRON PROFESSIONAL INDUSTRIAL VICE FIXED BASE WITH REPLACEABLE PIPE JAWS

- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 100     | 7.000       | 100            | 2               |
| 125     | 11.000      | 125            | 1               |
| 150     | 17.000      | 150            | 1               |
| 200     | 22.500      | 200            | 1               |




## AO-120

### S.G. IRON PROFESSIONAL INDUSTRIAL VICE SWIVEL BASE WITH REPLACEABLE PIPE JAWS

- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 100     | 8.500       | 100            | 2               |
| 125     | 13.000      | 125            | 1               |
| 150     | 19.000      | 150            | 1               |
| 200     | 25.000      | 200            | 1               |





## AO-121

### MACHINIEST BENCH VICE FIXED BASE - S.G. IRON

- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size<br>INCH | Net<br>Wt. Kg. | Length<br>of Jaws | Pcs. Per<br>Carton |
|--------------|----------------|-------------------|--------------------|
| 3            | 13.000         | 75                | 1                  |
| 3-1/2        | 15.000         | 90                | 1                  |
| 4            | 23.000         | 100               | 1                  |
| 4-1/2        | 25.000         | 115               | 1                  |
| 5            | 31.000         | 125               | 1                  |
| 6            | 50.000         | 150               | 1                  |
| 8            | 75.000         | 200               | 1                  |




## AO-122

### MACHINIEST BENCH VICE SWIVEL BASE - S.G. IRON

- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size<br>INCH | Net<br>Wt. Kg. | Length<br>of Jaws | Pcs. Per<br>Carton |
|--------------|----------------|-------------------|--------------------|
| 3            | 16.000         | 75                | 1                  |
| 3-1/2        | 18.000         | 90                | 1                  |
| 4            | 26.000         | 100               | 1                  |
| 4-1/2        | 30.500         | 115               | 1                  |
| 5            | 34.000         | 125               | 1                  |
| 6            | 53.500         | 150               | 1                  |
| 8            | 82.000         | 200               | 1                  |



## AO-123

### SHEET METAL WORKER'S MACHINIEST VICE FIXED BASE - S.G. IRON

- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size<br>INCH | Size<br>MM | Net<br>Wt. Kg. | Length<br>of Jaws | Pcs. Per<br>Carton |
|--------------|------------|----------------|-------------------|--------------------|
| 4.1/2        | 115MM      | 28.000         | 115mm             | 1                  |



## AO-124

### SHEET METAL WORKER'S MACHINIEST VICE SWIVEL BASE - S.G. IRON

- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size<br>INCH | Size<br>MM | Net<br>Wt. Kg. | Length<br>of Jaws | Pcs. Per<br>Carton |
|--------------|------------|----------------|-------------------|--------------------|
| 4.1/2        | 115MM      | 30.000         | 115mm             | 1                  |



## AO-125

### JOURNEYMAN COMINATION BENCH VICE SWIVEL BASE - WITH REPLACEABLE PIPE JAWS S.G. IRON

- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 75      | 6.500       | 75             | 2               |
| 100     | 12.000      | 100            | 1               |
| 125     | 20.500      | 125            | 1               |
| 150     | 31.000      | 150            | 1               |




## AO-126

### GCF-126

### MULTI PURPOSE BENCH VICE SWIVEL BASE S.G. IRON WITH REPLACEABLE PIPE JAWS

- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 100     | 14.000      | 100            | 1               |
| 125     | 23.000      | 125            | 1               |
| 150     | 32.000      | 150            | 1               |




## AO-127

### UTILITY BENCH VICE FIXED BASE S.G. IRON WITH REPLACEABLE PIPE JAWS

- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 115     | 7.500       | 115            | 2               |
| 140     | 12.000      | 140            | 1               |
| 165     | 16.000      | 165            | 1               |
| 150     | 26.000      | 150            | 1               |
| 200     | 33.000      | 200            | 1               |



## AO-128

### UTILITY BENCH VICE SWIVEL BASE S.G. IRON WITH REPLACEABLE PIPE JAWS

- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 115     | 8.000       | 115            | 2               |
| 140     | 13.000      | 140            | 1               |
| 165     | 17.500      | 165            | 1               |
| 150     | 27.500      | 150            | 1               |
| 200     | 34.500      | 200            | 1               |






## AO-129

### UNBREAKABLE BENCH VICE FIXED BASE DOUBLE RIB. (S.G. IRON)



- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 80      | 4.500       | 80             | 4               |
| 100     | 7.000       | 100            | 2               |
| 125     | 12.000      | 125            | 1               |
| 150     | 15.000      | 150            | 1               |
| 200     | 18.000      | 200            | 1               |



## AO-130

### UNBREAKABLE BENCH VICE SWIVEL BASE DOUBLE RIB. (S.G. IRON)



- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 80      | 5.500       | 80             | 4               |
| 100     | 8.000       | 100            | 2               |
| 125     | 13.000      | 125            | 1               |
| 150     | 16.500      | 150            | 1               |
| 200     | 20.500      | 200            | 1               |




## AO-131

### UNBREAKABLE BENCH VICE FIXED BASE "PROFESSIONAL SERIES (S.G. IRON)



- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 80      | 4.500       | 80             | 4               |
| 100     | 7.000       | 100            | 2               |
| 125     | 12.000      | 125            | 1               |
| 150     | 15.000      | 150            | 1               |
| 200     | 18.000      | 200            | 1               |



## AO-132

### UNBREAKABLE BENCH VICE SWIVEL BASE "PROFESSIONAL SERIES (S.G. IRON)



- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 80      | 5.500       | 80             | 4               |
| 100     | 8.000       | 100            | 2               |
| 125     | 13.000      | 125            | 1               |
| 150     | 16.500      | 150            | 1               |
| 200     | 20.500      | 200            | 1               |



## AO-133

### CYLINDRICAL VICE (CAST IRON AND S.G. IRON)

- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 75      | 7.000       | 75             | 2               |
| 100     | 9.500       | 100            | 1               |
| 125     | 13.500      | 125            | 1               |
| 150     | 17.000      | 150            | 1               |




## AO-134

### CAST IRON BENCH VICE FIXED BASE ECONOMY MODEL (PROMOTION)

- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 80      | 4.000       | 80             | 4               |
| 100     | 5.000       | 100            | 4               |
| 125     | 7.500       | 125            | 2               |
| 150     | 11.000      | 150            | 1               |
| 200     | 18.500      | 200            | 1               |



## AO-135

### CAST IRON BENCH VICE SWIVEL BASE ECONOMY MODEL (PROMOTION)

- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 80      | 4.500       | 80             | 4               |
| 100     | 5.500       | 100            | 4               |
| 125     | 8.500       | 125            | 2               |
| 150     | 12.500      | 150            | 1               |
| 200     | 21.500      | 200            | 1               |




## AO-136

### PROFESSIONAL STEEL VICE

- Graded Steel
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 100     | 5.400       | 100            | 2               |
| 125     | 13.000      | 125            | 1               |
| 150     | 16.000      | 150            | 1               |




## AO-137

### ALL STEEL FEBRICATED VICE RECORD TYPE FIXED BASE

- Graded Steel
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 100     | 6.500       | 100            | 2               |
| 150     | 17.000      | 150            | 1               |
| 200     | 36.000      | 200            | 1               |




## AO-138

### ALL STEEL FEBRICATED OFFSET VICE FIXED BASE

- Graded Steel
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 100     | 9.500       | 100            | 2               |
| 125     | 14.000      | 150            | 1               |
| 150     | 17.500      | 200            | 1               |




## AO-139

### ALL STEEL VICE FIXED SQUARE BASE REPLACEABLE JAWS (GS)



- Graded Steel
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 80      | 5.000       | 80             | 4               |
| 100     | 5.800       | 100            | 2               |
| 125     | 9.500       | 125            | 1               |
| 150     | 12.000      | 150            | 1               |




## AO-140

### ALL STEEL VICE FIXED BASE REPLACEABLE JAWS (GS)



- Graded Steel
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 80      | 5.000       | 80             | 4               |
| 100     | 5.800       | 100            | 2               |
| 125     | 9.500       | 125            | 1               |
| 150     | 12.000      | 150            | 1               |





## AO-141

### ALL STEEL VICE SWIVEL BASE REPLACEABLE JAWS (GS)



- Graded Steel
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 80      | 5.500       | 80             | 4               |
| 100     | 6.300       | 100            | 2               |
| 125     | 10.500      | 125            | 1               |
| 150     | 13.500      | 150            | 1               |




## AO-142

### ALL STEEL VICE FIXED BASE ECONOMY MODEL

- Graded Steel
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 80      | 3.500       | 80             | 6               |
| 100     | 4.000       | 100            | 4               |
| 125     | 5.000       | 125            | 4               |
| 150     | 6.000       | 150            | 2               |
| 200     | 11.000      | 200            | 1               |




## AO-143

### ALL STEEL VICE SWIVEL BASE ECONOMY MODEL

- Graded Steel
- Hardened and tempered jaws Alloy Steel

| Size mm | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|---------|-------------|----------------|-----------------|
| 80      | 4.000       | 80             | 4               |
| 100     | 4.500       | 100            | 4               |
| 125     | 5.500       | 125            | 4               |
| 150     | 6.500       | 150            | 2               |
| 200     | 12.000      | 200            | 2               |



## AO-144

### DRILL PRESS VICE-BODY MADE FROM CAST IRON

- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size INCH | Length of Jaws | Pcs. Per Carton |
|-----------|----------------|-----------------|
| 3         | 75             | 8               |
| 4         | 100            | 8               |
| 5         | 125            | 8               |



## AO-145

### UNIGRIP VICE - BODY MADE FROM CAST IRON

- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size INCH | Net Wt. Kg. | Length of Jaws | Pcs. Per Carton |
|-----------|-------------|----------------|-----------------|
| 3         | 0           | 75             | 1               |
| 4         | 0           | 100            | 1               |
| 5         | 0           | 125            | 1               |
| 6         | 0           | 150            | 1               |



## AO-146

### MILLING MACHINE VICE - BODY MADE FROM CAST IRON

- Graded Casting
- Hardened and tempered jaws Alloy Steel

| Size INCH | Pcs. Per Carton |
|-----------|-----------------|
| 3         | 1               |
| 4         | 1               |
| 5         | 1               |
| 6         | 1               |
| 8         | 1               |




## AO-147

### BABY VICE PIN TYPE FIXED & SWIVEL BASE

- Body made from cast iron
- Clamp provided for firm grip on table

| Size mm | Length of Jaws | Pcs. Per Carton |
|---------|----------------|-----------------|
| 40      | 40             | 32              |
| 50      | 50             | 32              |
| 60      | 60             | 24              |
| 70      | 70             | 24              |




## AO-148

### BABY VICE SLIDE TYPE FIXED & SWIVEL

- Body made from cast iron
- Clamp provided for firm grip on table

| Size mm | Length of Jaws | Pcs. Per Carton |
|---------|----------------|-----------------|
| 40      | 40             | 32              |
| 50      | 50             | 32              |
| 60      | 60             | 24              |
| 70      | 70             | 24              |




## AO-149

### BABY VICE STEED & ANVIL FIXED & SWIVEL HEAVY DUTY

- Body made from cast iron
- Clamp provided for firm grip on table

| Size mm | Length of Jaws | Pcs. Per Carton |
|---------|----------------|-----------------|
| 40      | 40             | 24              |
| 50      | 50             | 20              |
| 60      | 60             | 20              |
| 70      | 70             | 16              |




## AO-150

### ANVIL- CAST IRON / S.G. IRON

- Made from Graded Cast Iron / S.G. Iron

| Size In Kg. | Pcs. Per Carton |
|-------------|-----------------|
| 5           | 2               |
| 10          | 2               |
| 25          | 1               |
| 50          | 1               |
| 75          | 1               |
| 100         | 1               |




## AO-151

### ANVIL- CAST IRON / S.G. IRON

- Made from Graded Cast Iron / S.G. Iron

| Size In Kg. | Pcs. Per Carton |
|-------------|-----------------|
| 5           | 2               |
| 10          | 2               |
| 25          | 1               |
| 50          | 1               |
| 75          | 1               |
| 100         | 1               |



## AO-152

### SHOEMAKER'S ANVIL

- Made out of selected grade cast iron
- Painted for long life

| Size | Pcs. Per Carton |
|------|-----------------|
| Std. | 12              |







Wariana Complex Sangal sohal Jalandhar - 144002 - Punjab, India

Mobile: / WhatsApp : +91-9417410074 / 7973046757

Email: [info@aryanoverseas.com](mailto:info@aryanoverseas.com) [infoaryanoverseas@gmail.com](mailto:infoaryanoverseas@gmail.com)

[www.aryanoverseas.com](http://www.aryanoverseas.com)